STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC)		(XI) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 39C0001040		(X2) MULTIPLE CONSTRUCTION: A. BLDG:00_ B. WING:		(X3) DATE SURVEY COMPLETED: 05/17/2023	
NAME OF PROVIDER OR SUPPLIER: SURGERY CENTER OF CHESTER COUNTY, THE STATE LICENSE NUMBER: 02781500			STREET ADDRESS, CITY, STATE, ZIP CODE: 460 CREAMERY WAY, SUITE 100 EXTON, PA 19341				
(X4) ID PREFIX TAG	SUMMARY STATEMENT MUST BE PRECEEDI IDENTI		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE COMPLETE DATE		COMPLETE	
S 0000	This report is the result conducted on May 17, Chester County, which Spinal Fusion's for verthe Ion Facet Implant Stoccupancy survey, it win compliance with all Pennsylvania Departm Regulations for Ambula, Title 28, Part IV, Su 551-573, November 19 of the Guidelines for Doutpatient Facilities.	enter of ervice of ation using the acility was ents of the s and s, Annex apters edition	S 0000				

State Form 4RIZ11 IF CONTINUATION SHEET Page 1 of 1

TITLE:

(X6) DATE:

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE



Certified End Page

SURGERY CENTER OF CHESTER COUNTY, THE

STATE LICENSE NUMBER: 02781500 SURVEY EXIT DATE: 05/17/2023

I Certify This Document to be a True and Correct Statement of Deficiencies and Approved Facility Plan of Correction for the Above-Identified Facility Survey

Jeane Parisi

Deputy Secretary for Quality Assurance

fearre Janie

Debia L. Bogu MD

Debra L. Bogen, MD, FAAP Acting Secretary of Health



THIS IS A CERTIFICATION PAGE

PLEASE DO NOT DETACH

THIS PAGE IS NOW PART OF THIS SURVEY